ELSEVIER

Neuroscience Letters 285 (2000) 243–245

Neuroscience Letters

www.elsevier.com/locate/neulet

# Contents to Volume 285

**Volume 285, no. 1**

*Guidelines for the submission of manuscripts* v

Mechanisms underlying the M-current block by barium in bullfrog sympathetic neurons
S. Kotani, T. Hirasawa, T. Suzuki, K. Sato, M. Sakakibara, T. Tokimasa (Japan) 1

Reduced nitric oxide is involved in prenatal ischemia-induced tolerance to neonatal hypoxic-ischemic brain injury in rats
F. Xiao, J.D. Fratkin, P.G. Rhodes, Z. Cai (USA) 5

Calretinin is present in serotonin- and γ-aminobutyric acid-positive amacrine cell populations in the retina of *Xenopus laevis*
R. Gábriel (Hungary) 9

Fine structural evidence of mechanoreception in spinal lumbosacral accessory lobes of pigeons
J. Rosenberg, R. Necker (Germany) 13

Influence of muscarinic ligands on the amplitudes of the evoked surface potential's late components in the optic tectum of the urodele *Plethodon jordani*
H. Kahl, W. Wiggers (Germany) 17

Patients with somatoform phobic postural vertigo: the more difficult the balance task, the better the balance performance
V. Querner, S. Krafczyk, M. Dieterich, T. Brandt (Germany) 21

Spatial-temporal response characteristics of the ON-OFF direction selective ganglion cells in the rabbit retina
S. He, W.R. Levick (Australia) 25

Molecular determinants of binding of a wasp toxin (PMTXs) and its analogs in the $Na^+$ channels proteins
K. Konno, M. Hisada, H. Naoki, Y. Itagaki, T. Yasuhara, Y. Nakata, A. Miwa, N. Kawai (Brazil, Japan) 29

Expression of α-calcitonin gene-related peptide in the enteric nervous system of rat small intestine
Y. Doi, H. Peng, H. Kudo, K. Hamasaki, S. Fujimoto (Japan) 33

Effect of electroacupuncture on blood pressure and adrenal nerve activity in anesthetized rats
T.-B. Lin, T.-C. Fu (Republic of China) 37

Sensory representation of passive movement kinematics by rat's spinocerebellar Purkinje cells
G. Giaquinta, M.S. Valle, C. Caserta, A. Casabona, G. Bosco, V. Perciavalle (Italy, USA) 41

The genesis of human event-related responses explained through the theory of oscillatory neural assemblies
S. Karakaş, Ö.U. Erzengin, E. Başar (Turkey, Germany) 45

Quantification of tau phosphorylated at threonine 181 in human cerebrospinal fluid: a sandwich ELISA with a synthetic phosphopeptide for standardization
E. Vanmechelen, H. Vanderstichele, P. Davidsson, E. Van Kerschaver, B. Van Der Perre, M. Sjögren, N. Andreasen, K. Blennow (Belgium, Sweden) 49

Functional inactivation of dorsal hippocampus impairs active place avoidance in rats
J.M. Cimadevilla, A.A. Fenton, J. Bures (Czech Republic, Spain) 53

Developmental changes in expression of the three ryanodine receptor mRNAs in the mouse brain
F. Mori, M. Fukaya, H. Abe, K. Wakabayashi, M. Watanabe (Japan) 57

Dysfunction of rat forebrain astrocytes in culture alters cytokine and neurotrophic factor release
K.St.P. McNaught, P. Jenner (UK) 61

Interleukin-2 gene deletion produces a robust reduction in susceptibility to experimental autoimmune encephalomyelitis in C57BL/6 mice
J.M. Petitto, W.J. Streit, Z. Huang, E. Butfiloski, J. Schiffenbauer (USA) 66

Blockade of pilocarpine-induced cerebellar phosphoinositide hydrolysis with metabotropic glutamate antagonists: evidence for an indirect control of granule cell glutamate release by muscarinic agonists
M.P. Johnson, G.M. Kelly, M. Chamberlain (USA) 71

Functional synapse formation between rat olfactory receptor neurons and olfactory bulb neurons in vitro
K. Kanaki, K. Sato, M. Kashiwayanagi (Japan) 76

**Volume 285, no. 2**

α-Synuclein and the Parkinson's disease-related mutant Ala53Thr-α-synuclein do not undergo proteasomal degradation in HEK293 and neuronal cells
K. Ancolio, C. Alves da Costa, K. Uéda, F. Checler (France, Japan) 79
Absence of linkage between familial amyotrophic lateral sclerosis and copper chaperone for the superoxide dismutase gene locus in two Italian pedigrees
A. Orlacchio, T. Kawarai, A.M. Massaro, P.H. St George-Hyslop, S. Sorbi (Canada, Italy) 83
Activation and response to axotomy of microglia in the facial motor nuclei of G93A superoxide dismutase transgenic mice
R. Mariotti, M. Bentivoglio (Italy) 87
Protective effect of nicotine through nicotinic acetylcholine receptor α7 on hypoxia-induced membrane disintegration and DNA fragmentation of cultured PC12 cells
H. Tohgi, K. Utsugisawa, Y. Nagane (Japan) 91
Temperature affects the development of central neurotransmitter systems of tilapia, *Oreochromis mossambicus*
L.-H. Wang, C.-L. Tsai (Republic of China) 95
Dietary n-3 fatty acid deficiency decreases nerve growth factor content in rat hippocampus
A. Ikemoto, A. Nitta, S. Furukawa, M. Ohishi, A. Nakamura, Y. Fujii, H. Okuyama (Japan) 99
Involvement of spinal protein kinase C in induction and maintenance of both persistent spontaneous flinching reflex and contralateral heat hyperalgesia induced by subcutaneous bee venom in the conscious rat
K.-C. Li, J.-H. Zheng, J. Chen (P.R. China) 103
Increased striatal dopamine transporter in adult patients with attention deficit hyperactivity disorder: effects of methylphenidate as measured by single photon emission computed tomography
K.-H. Krause, S.H. Dresel, J. Krause, H.F. Kung, K. Tatsch (Germany, USA) 107
Spontaneous single-channel activity of neuronal TRP5 channel recombinantly expressed in HEK293 cells
H. Yamada, M. Wakamori, Y. Hara, Y. Takahashi, K. Konishi, K. Imoto, Y. Mori (Japan) 111
Topographical distribution of pinprick and warmth thresholds to $CO_2$ laser stimulation on the human skin
R. Agostino, G. Cruccu, G. Iannetti, A. Romaniello, A. Truini, M. Manfredi (Italy, Denmark) 115
Survival and histological evaluation of therapeutic window of post-ischemia treatment with magnesium sulfate in embolic stroke model of rat
Y. Yang, Q. Li, F. Ahmad, A. Shuaib (Canada) 119
Local current spread in electrically compact neurons of the fly
A. Borst, S. Single (Germany) 123
Histochemical cytochrome c oxidase activity and caspase-3 in gerbil hippocampal CA1 neurons after transient forebrain ischemia
H. Nakatsuka, S. Ohta, J. Tanaka, K. Toku, Y. Kumon, N. Maeda, M. Sakanaka, S. Sakaki (Japan) 127
Global field power of auditory N1 correlates with impaired verbal-memory performance in human alcoholics
J. Ahveninen, I.P. Jääskeläinen, E. Pekkonen, A. Hallberg, M. Hietanen, R. Näätänen, P. Sillanaukee (Finland, Sweden) 131
Perception of apparent motion is related to the neural activity in the human extrastriate cortex as measured by magnetoencephalography
O. Kawakami, Y. Kaneoke, R. Kakigi (Japan) 135
A single high dose of dizocilpine produces long-lasting impairment of the water maze performance in adult rats
N.V. Lukoyanov, M.M. Paula-Barbosa (Portugal) 139
Altered expression of tissue-type plasminogen activator and type 1 inhibitor in astrocytes of mouse cortex following scratch injury in culture
H. Tang, W.Y. Fu, N.Y. Ip (China) 143
No association between TAU haplotype and Alzheimer's disease in population or clinic based series or in familial disease
M. Baker, D. Graff-Radford, F. Wavrant DeVrièze, N. Graff-Radford, R.C. Petersen, E. Kokmen, B. Boeve, L. Myllykangas, T. Polvikoski, R. Sulkava, A. Verkoniemmi, P. Tienari, M. Haltia, J. Hardy, M. Hutton, J. Perez-Tur (USA, Finland, Spain) 147
Is human gait initiation program affected by a reduction of the postural basis?
A. Couillandre, Y. Brenière, B. Maton (France) 150
Robust localization of the contralateral precentral gyrus in hemiparetic patients using the unimpaired ipsilateral hand: a clinical functional magnetic resonance imaging protocol
C. Stippich, D. Kapfer, E. Hempel, G. Borgulya, A. Bongers, S. Heiland, K. Sartor (Germany) 155

**Volume 285, no. 3**

Dynorphin mRNA-expressing neurons in the rat paraventricular hypothalamic nucleus project to the spinal cord
M. Hallbeck (Sweden) 161
Regional distribution of cortical microglia parallels that of neurofibrillary tangles in Alzheimer's disease
L.G. Sheffield, J.G. Marquis, N.E.J. Berman (USA) 165
Vagotomy does not inhibit high dose lipopolysaccharide-induced interleukin-1β immunoreactivity in rat brain and pituitary gland
A.-M. Van Dam, J.G.J.M. Bol, R.P.A. Gaykema, L.E. Goehler, S.F. Maier, L.R. Watkins, F.J.H. Tilders (The Netherlands, USA) 169

Effect of apolipoprotein E on cell viability in a human neuroblastoma cell line: influence of oxidation and lipid-association
A. Hoy, B. Leininger-Muller, C. Jolivalt, G. Siest (France) 173
Differential sensitivity of rat hippocampal and cortical astrocytes to oxygen-glucose deprivation injury
G. Zhao, M.P. Flavin (Canada) 177
Daily melatonin injections entrain the circadian change of synaptic ribbon number in the pineal organ of the Japanese newt
M. Kikuchi, A. Chiba, K. Aoki (Japan) 181
Sphingomyelinase metabolites control survival and apoptotic death in SH-SY5Y neuroblastoma cells
S. Tavarini, L. Colombaioni, M. Garcia-Gil (Italy) 185
Clozapine-like motor effects of the atypical antipsychotic risperidone in rats
J.A. Stanford, S.C. Fowler (USA) 189
The central nervous system convulsant pentylenetetrazole stimulates γ-aminobutyric acid (GABA)-activated current in picrotoxin-resistant $GABA_A$ receptors in HEK293 cells
M.I. Dibas, G.H. Dillon (USA) 193
Response of epiplexus cells associated with the choroid plexus in the lateral ventricles of adult rats to high altitude exposure
D. Wang, C. Kaur (Singapore) 197
Peroxisomal beta-oxidation enzyme gene expression in the developing mouse brain
A. Knoll, J. Salles, F. Sargueil, C. Cassagne, B. Garbay (France) 201
Estrogen increases arginine-vasopressin V1a receptor mRNA in the preoptic area of young but not of middle-aged female rats
T. Funabashi, K. Shinohara, D. Mitsushima, F. Kimura (Japan) 205
Nitric oxide suppresses fictive feeding response in *Lymnaea stagnalis*
S. Kobayashi, H. Ogawa, Y. Fujito, E. Ito (Japan) 209
A possible role of the human cerebellum in conditioning of the jaw-opening reflex
M. Maschke, F.P. Kolb, J. Drepper, M. Peper, S. Lachauer, S.P. Müller, H.-C. Diener, D. Timmann (Germany) 213
Adenosine triphosphate affects interleukin -1β release by T98G glioblastoma cells through a purinoceptor-independent mechanism
A.C. de Joannon, F. Mancini, C. Landolfi, L. Soldo, A. Leta, A. Ruggieri, G. Mangano, L. Polenzani, M. Pinza, C. Milanese (Italy) 218
Nutritional (n-3) polyunsaturated fatty acids influence the behavioral responses to positive events in mice
H. Francès, P. Draï, M. Smirnova, I. Carrié, M. Debray, J.M. Bourre (France) 223
Control strategies for initiation of human gait are influenced by accuracy constraints
D. Brunt, M. Short, M. Trimble, S.M. Liu (USA) 228
Unbiased whole-brain analysis of gray matter loss in Alzheimer's disease
S.A.R.B. Rombouts, F. Barkhof, M.P. Witter, P. Scheltens (The Netherlands) 231
Stimulation of corticotropin-releasing hormone-mediated adrenocorticotropin secretion by central administration of prolactin-releasing peptide in rats
H. Matsumoto, M. Maruyama, J. Noguchi, Y. Horikoshi, K. Fujiwara, C. Kitada, S. Hinuma, H. Onda, O. Nishimura, K. Inoue, M. Fujino (Japan) 234

*Author Index to Volume 285* 239
*Contents to Volume 285* 243